



**CO
MO**

CATALOG

www.como-lda.pt



COMO - Componentes de Mobiliário, Lda.

📍 Edifício Masa - Pavilhão 4, Apartado 3095
Barrosinhas | Trofa 2750-772 Águeda
GPS. 40°35'55.2"N 8°27'43.5"W

☎ 234 648 048 / 234 648 049

📠 234 648 050

✉ geral@como.pt

🌐 www.como-lda.pt

📷 /comolda

📘 /ComoPortugal

🌐 /como-componentes-de-mobiliário-lda

SPECIALISTS
IN **COMPACT**
HPL AND
MELAMINES

INDEX


4.	OUR LOCKERS
5.	COMPACT HPL LOCKERS
22.	COMPACT HPL LOCKERS WITH BENCH
32.	COMPACT HPL AND ALUMINUM PROFILE LOCKERS
48.	COMPACT HPL AND ALUMINUM PROFILE LOCKERS WITH BENCH
58.	W. RESISTANT MDF LOCKERS WITH COMPACT HPL DOORS
74.	W. RESISTANT MDF LOCKERS W/ COMPACT HPL DOORS W/ BENCH
84.	MELAMINE LOCKERS
100.	SPECIAL PROJECTS
102.	COMPACT HPL APPLICATIONS
104.	COMPACT HPL MOD. PC CUBICLES
106.	COMPACT HPL MOD. ASC CUBICLES
108.	COMPACT HPL PARTITIONS

INDEX

110.	COMPACT HPL BENCHES
114.	COMPACT HPL HANGERS
116.	COMPACT HPL WORKTOPS
118.	COMPACT HPL FURNITURE
120.	MELAMINE FURNITURE
122.	MELAMINE TABLES
124.	MELAMINE DESKS
126.	MELAMINE CABINETS
128.	MELAMINE BLOCKS OF DRAWERS
130.	PROJECT PORTEFOLIO
132.	MATERIALS AND HARDWARE
140.	COMPACT HPL COLORS
141.	MELAMINE COLORS

OUR LOCKERS

STANDARD DIMENSIONS



Our range of **lockers** features a variety of materials to suit the **needs of each customer**.

At COMO you can find standard sizes but we also offer **custom sizes** upon request.

COMPACT HPL LOCKERS

Due to its **water repellent, antibacterial, antifungal and fire-retardant characteristics**, it becomes the solution of choice for places such as:

Hospitals; 

Restrooms in Educational Facilities; 

Sports locker rooms; 

or other intensive use installations such as:

Commercial Facilities; 

Industrial Facilities. 

We provide custom made compact HPL solutions for **toilet cubicles, showers** and others, as well as **partitions, urinal separators, worktops, hangers** and **benches**.

This material is also used for **furniture production**.

Phenolic compact is an **inert, water-repellent, antibacterial, antifungal, fire-retardant product** that, when combined with **anti-corrosive screws**, becomes the solution of choice for jobs where **hygiene, durability, and safety** are essential.

GLOSSARY

Water repellent: Protects against humidity.

Antibacterial: Destroys bacteria or prevents their growth.

Antifungal: Destroys fungi or mold.

COMPACT HPL LOCKERS

Compact HPL lockers
with anti-corrosive screwing.





TYPE 1P

TECHNICAL DETAILS

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)				
No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	507	1C1P
2	1900	600	507	2C1P
3	1900	895	507	3C1P

INTERNAL DIMENSIONS (mm)			
Smaller compartment height	Larger compartment height	Width	Depth
345	1425	285	475

The production of this locker complies with Standard **NP-1116-1975** for type A locker cabinets.

TYPE G-1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD




EXTERNAL DIMENSIONS (mm)				
No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	507	G-1C1P
2	1900	800	507	G-2C1P

INTERNAL DIMENSIONS (mm)			
Smaller compartment height	Larger compartment height	Width	Depth
345	1425	285	475

The production of this locker complies with Standard **NP-1116-1975** for type A locker cabinets.





TYPE 2P

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	507	1C2P
2	1900	600	507	2C2P
3	1900	895	507	3C2P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
885	285	475

TYPE G-2P

2 DOORS PER COLUMN

Includes:
ROD




EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	507	G-1C2P
2	1900	800	507	G-2C2P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
885	385	475



TYPE 3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	507	1C3P
2	1900	600	507	2C3P
3	1900	895	507	3C3P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
586	285	475

TYPE G-3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	507	G-1C3P
2	1900	800	507	G-2C3P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
586	385	475





TYPE 4P

4 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

N.º of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	507	1C4P
2	1900	600	507	2C4P
3	1900	895	507	3C4P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
437	285	475

TYPE G-4P

4 DOORS PER COLUMN




EXTERNAL DIMENSIONS (mm)

N.º of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	507	G-1C4P
2	1900	800	507	G-2C4P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
437	385	475





TYPE 5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	507	1C5P
2	1900	600	507	2C5P
3	1900	895	507	3C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
348	285	475

TYPE G-5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	507	G-1C5P
2	1900	800	507	G-2C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
348	385	475



TYPE 6P

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	507	1C5P
2	1900	600	507	2C5P
3	1900	895	507	3C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
288	285	475

TYPE G-6P

6 DOORS PER COLUMN




EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	507	G-1C5P
2	1900	800	507	G-2C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
288	385	475






TYPE 2PL

TECHNICAL DETAILS

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	400	507	1C2PL
2	1900	790	507	2C2PL

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1335	435	380	185	475

TYPE G-2PL

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	500	507	G-1C2PL
2	1900	990	507	G-2C2PL

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1335	435	480	235	475

COMPACT HPL LOCKERS WITH BENCH

Compact HPL lockers
with anti-corrosive screwing.





TYPE 1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	507	1C1P/B
2	1500	600	507	2C1P/B
3	1500	895	507	3C1P/B

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
345	1125	285	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	507	G-1C1P/B
2	1500	800	507	G-2C1P/B

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
345	1125	385	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 2P

2 DOORS PER COLUMN

Includes:
ROD



TECHNICAL DETAILS

EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	507	1C2P/B
2	1500	600	507	2C2P/B
3	1500	895	507	3C2P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
735	285	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-2P

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	507	G-1C2P/B
2	1500	800	507	G-2C2P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
735	385	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 3P

3 DOORS PER COLUMN



TECHNICAL DETAILS

EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	507	1C3P/B
2	1500	600	507	2C3P/B
3	1500	895	507	3C3P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
486	285	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	507	G-1C3P/B
2	1500	800	507	G-2C3P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
486	385	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320



TYPE 4P

TECHNICAL DETAILS

4 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	507	1C4P/B
2	1500	600	507	2C4P/B
3	1500	895	507	3C4P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
437	285	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-4P

4 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	507	G-1C4P/B
2	1500	800	507	G-2C4P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
437	385	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 5P

TECHNICAL DETAILS

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	507	1C5P/B
2	1500	600	507	2C5P/B
3	1500	895	507	3C5P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
348	285	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	507	G-1C5P/B
2	1500	800	507	G-2C5P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
348	385	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

Compact HPL lockers with anti-corrosive screwing.



TYPE 6P

6 DOORS PER COLUMN



TECHNICAL DETAILS

EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	507	1C6P/B
2	1500	600	507	2C6P/B
3	1500	895	507	3C6P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
238	285	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-6P

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	507	G-1C6P/B
2	1500	800	507	G-2C6P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
238	385	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 2PL

2 L-SHAPED DOORS PER COLUMN



TECHNICAL DETAILS

EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	400	507	1C2PL/B
2	1500	790	507	2C2PL/B

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1035	285	380	185	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-2PL

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	500	507	G-1C2PL/B
2	1500	990	507	G-2C2PL/B

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1035	285	480	235	475

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320



COMPACT HPL AND ALUMINUM PROFILE LOCKERS

Lockers with compact HPL structure,
perimetry in aluminum profiles
and anticorrosive screwing.





TYPE 1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	317	502	1C1P
2	1900	605	502	2C1P
3	1900	895	502	3C1P

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
361	1408	284	477

TYPE G-1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	417	502	G-1C1P
2	1900	805	502	G-2C1P

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
361	1408	384	477

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.





TYPE 2P

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	317	502	1C2P
2	1900	605	502	2C2P
3	1900	895	502	3C2P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
885	284	477

TYPE G-2P

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	417	502	G-1C2P
2	1900	805	502	G-2C2P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
885	384	477

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.





TYPE 3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	317	502	1C3P
2	1900	605	502	2C3P
3	1900	895	502	3C3P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
586	284	477

TYPE G-3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	417	502	G-1C3P
2	1900	805	502	G-2C3P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
586	384	477

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.



**TYPE 4P**

4 DOORS PER COLUMN

**EXTERNAL DIMENSIONS (mm)**

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	317	502	1C4P
2	1900	605	502	2C4P
3	1900	895	502	3C4P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
437	284	477

TYPE G-4P

4 DOORS PER COLUMN

**EXTERNAL DIMENSIONS (mm)**

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	417	502	G-1C4P
2	1900	805	502	G-2C4P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
437	384	477

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.





TYPE 5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	317	502	1C5P
2	1900	605	502	2C5P
3	1900	895	502	3C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
348	284	477

TYPE G-5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	417	502	G-1C5P
2	1900	805	502	G-2C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
348	384	477

Lockers with structure in compact HPL, perimetry in aluminum profiles and anticorrosive screwing.





TYPE 6P

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	317	502	1C6P
2	1900	605	502	2C6P
3	1900	895	502	3C6P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
288	284	477

TYPE G-6P

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	417	502	G-1C6P
2	1900	805	502	G-2C6P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
288	384	477

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.





TYPE 2PL

TECHNICAL DETAILS

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	417	502	1C2PL
2	1900	805	502	2C2PL

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1338	431	384	187	477

TYPE G-2PL

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	517	502	G-1C2PL
2	1900	1005	502	G-2C2PL

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1338	431	484	237	477

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.



COMPACT HPL AND ALUMINUM PROFILE LOCKERS WITH BENCH

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.





TYPE 1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



TECHNICAL DETAILS

EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	317	502	1C1P/B
2	1500	605	502	2C1P/B
3	1500	895	502	3C1P/B

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
361	1108	284	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	417	502	G-1C1P/B
2	1500	805	502	G-2C1P/B

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
361	1108	384	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.



TYPE 2P

TECHNICAL DETAILS

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	317	502	1C2P/B
2	1500	605	502	2C2P/B
3	1500	895	502	3C2P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
735	284	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-2P

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	417	502	G-1C2P/B
2	1500	805	502	G-2C2P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
735	384	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 3P

TECHNICAL DETAILS

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	317	502	1C3P/B
2	1500	605	502	2C3P/B
3	1500	895	502	3C3P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
486	284	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	417	502	G-1C3P/B
2	1500	805	502	G-2C3P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
486	384	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.



TYPE 4P

4 DOORS PER COLUMN

TECHNICAL DETAILS



EXTERNAL DIMENSIONS (mm)				
No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
	1500	317	502	1C4P/B
1	1500	605	502	2C4P/B
2	1500	895	502	3C4P/B
3				

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
362	284	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-4P

4 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)				
No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	417	502	G-1C4P/B
2	1500	805	502	G-2C4P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
362	384	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)				
No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
	1500	317	502	1C5P/B
1	1500	605	502	2C5P/B
2	1500	895	502	3C5P/B
3				

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
288	284	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)				
No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	417	502	G-1C5P/B
2	1500	805	502	G-2C5P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
288	384	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.



TYPE 6P

TECHNICAL DETAILS

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	317	502	1C6P/B
2	1500	605	502	2C6P/B
3	1500	895	502	3C6P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
238	284	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-6P

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	417	502	G-1C6P/B
2	1500	805	502	G-2C6P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
238	384	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 2PL

TECHNICAL DETAILS

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	417	502	1C2PL/B
2	1500	805	502	2C2PL/B

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1038	281	384	187	477

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-2PL

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	517	502	G-1C2PL/B
2	1500	1005	502	G-2C2PL/B

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1038	281	484	237	477

BENCH DIMENSIONS (mm)


Height	Depth of stainless steel structure	Seat depth
435	820	320

Lockers with compact HPL structure, perimetry in aluminum profiles and anticorrosive screwing.



WATER RESISTANT MDF LOCKERS WITH COMPACT HPL DOORS

Lockers with Water resistant
MDF structure and compact HPL
doors with anticorrosive screws.





TYPE 1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	512	1C1P
2	1900	594	512	2C1P
3	1900	883	512	3C1P

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
350	1402	273	484

TYPE G-1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	512	G-1C1P
2	1900	794	512	G-2C1P

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
350	1402	373	484

Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws.






TYPE 2P

2 DOORS PER COLUMN

Includes:
ROD



TECHNICAL DETAILS

EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	512	1C2P
2	1900	594	512	2C2P
3	1900	883	512	3C2P


INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
876	273	484

TYPE G-2P

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	512	G-1C2P
2	1900	794	512	G-2C2P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
876	373	484


Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws.





TYPE 3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	512	1C3P
2	1900	594	512	2C3P
3	1900	883	512	3C3P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
578	273	484

TYPE G-3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	512	G-1C3P
2	1900	794	512	G-2C3P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)


Height	Width	Depth
578	373	484

Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws.



**TYPE 4P**

4 DOORS PER COLUMN

**EXTERNAL DIMENSIONS (mm)**


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	512	1C4P
2	1900	594	512	2C4P
3	1900	883	512	3C4P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
430	273	484

TYPE G-4P

4 DOORS PER COLUMN

**EXTERNAL DIMENSIONS (mm)**


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	512	G-1C4P
2	1900	794	512	G-2C4P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
430	373	484


Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws.





TYPE 5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	512	1C5P
2	1900	594	512	2C5P
3	1900	883	512	3C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
340	273	484

TYPE G-5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	512	G-1C5P
2	1900	794	512	G-2C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
340	373	484


Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws.





TYPE 6P

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	305	512	1C6P
2	1900	594	512	2C6P
3	1900	883	512	3C6P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
281	273	484

TYPE G-6P

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	512	G-1C6P
2	1900	794	512	G-2C6P


INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
281	373	484

TECHNICAL DETAILS

Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws.






TYPE 2PL

TECHNICAL DETAILS

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	405	512	1C2PL
2	1900	794	512	2C2PL

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Maximum Width	Depth
1329	423	373	178	484

TYPE G-2PL

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	505	512	G-1C2PL
2	1900	994	512	G-2C2PL


INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Maximum Width	Depth
1329	423	473	228	484

WATER RESISTANT MDF LOCKERS WITH COMPACT HPL DOORS WITH BENCH

Lockers with Water resistant
MDF structure and compact HPL
doors with anticorrosive screws.





TYPE 1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	512	1C1P/B
2	1500	594	512	2C1P/B
3	1500	883	512	3C1P/B

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
350	1102	273	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	512	G-1C1P/B
2	1500	794	512	G-2C1P/B

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
350	1102	273	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws



TYPE 2P

TECHNICAL DETAILS

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	512	1C2P/B
2	1500	594	512	2C2P/B
3	1500	883	512	3C2P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
726	273	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-2P

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	512	G-1C2P/B
2	1500	794	512	G-2C2P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
726	373	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 3P

TECHNICAL DETAILS

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	512	1C3P/B
2	1500	594	512	2C3P/B
3	1500	883	512	3C3P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
478	273	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	512	G-1C3P/B
2	1500	794	512	G-2C3P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
478	373	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws.



TYPE 4P

4 DOORS PER COLUMN

TECHNICAL DETAILS



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	512	1C4P/B
2	1500	594	512	2C4P/B
3	1500	883	512	3C4P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
355	273	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-4P

4 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	512	G-1C4P/B
2	1500	794	512	G-2C4P/B

INTERNAL DIMENSIONS (mm)


Height	Width	Depth
355	373	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	512	1C5P/B
2	1500	594	512	2C5P/B
3	1500	883	512	3C5P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
280	273	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	512	G-1C5P/B
2	1500	794	512	G-2C5P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
280	373	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws.



TYPE 6P

TECHNICAL DETAILS

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	305	512	1C6P/B
2	1500	594	512	2C6P/B
3	1500	883	512	3C6P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
231	273	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-6P

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	512	G-1C6P/B
2	1500	794	512	G-2C6P/B

INTERNAL DIMENSIONS (mm)

Height	Width	Depth
231	373	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE 2PL

TECHNICAL DETAILS

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	405	512	1C2PL/B
2	1500	794	512	2C2PL/B

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1029	273	373	178	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

TYPE G-2PL

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1500	505	512	G-1C2PL/B
2	1500	994	512	G-2C2PL/B

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1029	273	473	228	484

BENCH DIMENSIONS (mm)

Height	Depth of stainless steel structure	Seat depth
435	820	320

Lockers with Water resistant MDF structure and compact HPL doors with anticorrosive screws.



MELAMINE LOCKERS

Lockers with particleboard structure with a decorative melamine surface and anti-corrosive screws. These lockers are suitable for low-humidity locations in environments such as offices.





TYPE 1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	309	500	1C1P
2	1900	599	500	2C1P
3	1900	889	500	3C1P

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
331	1412	271	460

TYPE G-1P

1 DOOR PER COLUMN

Includes:
SHELF + ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	409	500	G-1C1P
2	1900	799	500	G-2C1P

INTERNAL DIMENSIONS (mm)

Smaller compartment height	Larger compartment height	Width	Depth
331	1412	371	460






TYPE 2P

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	309	500	1C2P
2	1900	599	500	2C2P
3	1900	889	500	3C2P


INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
871	271	460

TYPE G-2P

2 DOORS PER COLUMN

Includes:
ROD



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	409	500	G-1C2P
2	1900	799	500	G-2C2P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
871	371	460

Lockers with particleboard structure with a decorative melamine surface and anti-corrosive screws.





TYPE 3P

3 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	309	500	1C3P
2	1900	599	500	2C3P
3	1900	889	500	3C3P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
574	271	460

TYPE G-3P

3 DOORS PER COLUMN




EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	409	500	G-1C3P
2	1900	799	500	G-2C3P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)


Height	Width	Depth
574	371	460





TYPE 4P

4 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	309	500	1C4P
2	1900	599	500	2C4P
3	1900	889	500	3C4P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
426	271	460

TYPE G-4P

4 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	409	500	G-1C4P
2	1900	799	500	G-2C4P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
426	371	460


Lockers with particleboard structure with a decorative melamine surface and anti-corrosive screws.





TYPE 5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	309	500	1C5P
2	1900	599	500	2C5P
3	1900	889	500	3C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
337	271	460

TYPE G-5P

5 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	409	500	G-1C5P
2	1900	799	500	G-2C5P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
337	371	460


Lockers with particleboard structure with a decorative melamine surface and anti-corrosive screws.





TYPE 6P

6 DOORS PER COLUMN



TECHNICAL DETAILS

EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	309	500	1C6P
2	1900	599	500	2C6P
3	1900	889	500	3C6P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
277	271	460

TYPE G-6P

6 DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	409	500	G-1C6P
2	1900	799	500	G-2C6P

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Height	Width	Depth
277	371	460

Lockers with particleboard structure with a decorative melamine surface and anti-corrosive screws.






TYPE 2PL

TECHNICAL SHEET

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)


No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	400	500	1C2PL
2	1900	781	500	2C2PL

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1343	400	362	172	460

TYPE G-2PL

2 L-SHAPED DOORS PER COLUMN



EXTERNAL DIMENSIONS (mm)

No. of Columns	Height (w/ legs)	Width	Depth	Locker Reference
1	1900	500	500	G-1C2PL
2	1900	981	500	G-2C2PL

INTERNAL DIMENSIONS OF EACH LOCKER (mm)

Maximum Height	Minimum Height	Maximum Width	Minimum Width	Depth
1343	400	462	222	460



SPECIAL MODELS

Different sizes of lockers
to suit different purposes.





*custom made lockers



*custom made lockers

Different sizes of lockers to suit different purposes.

COMPACT HPL CUBICLES MOD. PC



MOD. PC

TECHNICAL SHEET



Toilet and shower cubicles.




COMPACT HPL CUBICLES MOD. ASC



MOD. ASC

TECHNICAL DETAILS




Toilet and shower cubicles.



COMPACT HPL PARTITIONS



PARTITION



COMPACT HPL PARTITION

TECHNICAL DETAILS




COMPACT HPL PARTITION WITH STAINLESS STEEL FEET

COMPACT HPL BENCHES

TYOLOGY SINGLE

TECHNICAL DETAILS



DIMENSIONS (mm)				
Type	Height	Width	Length	
	435	320	1000	
Single	435	320	1500	
	435	320	2000	

TYOLOGY SINGLE

TECHNICAL DETAILS



DIMENSIONS (mm)				
Type	Height	Width	Length	
	1800	320	1000	
With back	1800	320	1500	
and hangers	1800	320	2000	

TYOLOGY SINGLE


TECHNICAL DETAILS



DIMENSIONS (mm)				
Type	Height	Width	Length	
	750	320	1000	
With back	750	320	1500	
	750	320	2000	

TYOLOGY SINGLE

TECHNICAL DETAILS



DIMENSIONS (mm)				
Type	Height	Width	Length	
	1800	320	1000	
With back,	1800	320	1500	
hangers and	1800	320	1500	
bag holder	1800	320	2000	

TYOLOGY **DOUBLE**



TECHNICAL DETAILS

DIMENSIONS (mm)				
Type	Height	Width	Length	
	435	645	1000	
Single	435	645	1500	
	435	645	2000	

TYOLOGY **DOUBLE**



TECHNICAL DETAILS

DIMENSIONS (mm)				
Type	Height	Width	Length	
With back	1800	645	1000	
and hanger	1800	645	1500	
	1800	645	2000	


TYOLOGY **DOUBLE**



TECHNICAL DETAILS

DIMENSIONS (mm)				
Type	Height	Width	Length	
	750	645	1000	
With back	750	645	1500	
	750	645	2000	

TYOLOGY **DOUBLE**



TECHNICAL DETAILS

DIMENSIONS (mm)				
Type	Height	Width	Length	
With back,	1800	645	1000	
hangers and	1800	645	1500	
bag holder	1800	645	2000	

COMPACT HPL HANGERS

COMPACT HPL SLATS WITH HANGERS


TECHNICAL DETAILS

DIMENSIONS (mm)

Width	Length	N.º of Hangers
100	1000	5
100	1500	7
100	2000	10




COMPACT HPL WORKTOPS



COMPACT HPL WORKTOPS

TECHNICAL DETAILS




*variable measures

Custom made compact HPL worktops.



COMPACT HPL FURNITURE



*Custom made compact HPL furniture

Different types of cabinets to suit different purposes.



MELAMINE

OFFICE FURNITURE

Products

Cabinets, drawer units, fixed desks, and conference tables

Material

Particleboard with decorative melamine face and PVC edging

Dimensions

Standard or custom
(19 mm or 25 mm thickness)



MELAMINE TABLES



ROUND (mm)

Length	Height
1000 Ø	740
1200 Ø	740

TECHNICAL DETAILS




RECTANGULAR (mm)

Length	Width	Height
2000	1000	740
2400	1200	740

TECHNICAL DETAILS



MELAMINE DESKS



RECTANGULAR (mm)			TECHNICAL DETAILS	RECTANGULAR (mm)		
Length	Width	Height		Length	Width	Height
1200	650	740		1200	800	740
1400	650	740		1400	800	740
1600	650	740		1600	800	740
1800	650	740		1800	800	740
2000	650	740		2000	800	740

TRUST AND DURABILITY THAT ONLY COMO CAN GUARANTEE.

MELAMINE CABINETS

TECHNICAL DETAILS



ABERTO (mm)

Height	Width	Depth	N.º of Shelves
800	800	400	1
800	1000	400	1
800	1200	400	1
1800	800	400	4
1800	1000	400	4
1800	1200	400	4

PORTAS DE BATER (mm)

Height	Width	Depth	N.º of Shelves
800	800	420	1
800	1000	420	1
1800	800	420	4
1800	1000	420	4

PORTAS DE CORRER (mm)

Height	Width	Depth	N.º of Shelves
800	800	400	1
800	1000	400	1
800	1200	400	1




MELAMINE DRAWER UNITS



TECHNICAL DETAILS (mm)

Length	Depth	Height	N.º of drawers
430	530	540	3





INDEX

(1) Escola Secundária de Maximinos
(2) Escola Secundária do Seixal
(3) Med Bone, Lda.
(4) Faculdade de Ciências do Porto


(5) Couro Azul, S.A.
(6) Hell's Kitchen
(7) Ginásio Movida (França)
(8) Clinique Dr. Ster (França)

(9) École Fauchon (França)
(10) Ginásio Basic Fit (França)
(11) Ginásio Element Queluz
(12) Ovolider

(13) Terminal Intermodal de Campanhã
(14) Faculdade de Medicina do Porto
(15) NAV Açores
(16) Yoga One Arrosadia (Espanha)

MATERIALS AND HARDWARE

MATERIALS



COMPACT HPL

Compact HPL lockers
Back panels in 4 mm compact HPL.
Side panels and shelves in 10 mm compact HPL.
Doors in 12,5 mm* compact HPL.

Compact HPL and Aluminum Profile Locker
Back and side panels in 4 mm compact HPL.
Shelves in 10 mm compact HPL.
Doors in 12,5 mm* compact HPL.

Water-resistant MDF Locker with Compact HPL Doors
Doors in 12,5 mm* compact HPL.

Cubicles, partitions, dividers, worktops, coat hangers, and benches
12,5 mm* compact HPL.

*10mm ECO version available.



WATER RESISTANT MDF

Water resistant MDF Locker with Compact HPL Doors
Back panel, side panels and shelves in 16 mm Water resistant MDF



MELAMINE

Melamine lockers and furniture
Back panel, side panels, shelves and doors in 19 mm agglomerate with a melamine coating.

FERRAGENS



LOCK

Nickel-plated steel. 2 keys.
Available for compact HPL lockers, compact HPL and aluminum profile locker, Water resistant MDF with compact HPL lockers and melamine lockers.



PADLOCK LOCK

Nickel-plated steel.
Compatible with rim between Ø5mm to Ø7.5mm.
Available for compact HPL lockers, compact HPL and aluminum profile locker, Water resistant MDF with compact HPL lockers and melamine lockers.

HARDWARE



PADLOCK LOCK

Nickel-plated steel.
Available for compact HPL lockers, compact HPL and aluminum profile locker, Water resistant MDF with compact HPL lockers and melamine lockers.



COIN LOCK

Nylon and steel.
Available for compact HPL lockers, compact HPL and aluminum profile locker, Water resistant MDF with compact HPL lockers and melamine lockers.



CODE LOCK

Nylon and steel.
Available for compact HPL lockers, compact HPL and aluminum profile locker, Water resistant MDF with compact HPL lockers and melamine lockers.



ELECTRONIC CODE LOCK

Nylon and steel.
Public or private mode. Available for compact HPL lockers, compact HPL and aluminum profile locker, Water resistant MDF with compact HPL lockers and melamine lockers.



HINGE

Nickel-plated steel.
Cup 26.
Available for compact HPL lockers, in water-resistant MDF with phenolic doors.



HINGE

Nickel-plated steel.
Cup 26.
Available for melamine lockers.

HARDWARE

**HINGE**

Stainless steel.
Available for compact HPL and aluminum profile locker.

**LEG**

Nylon with leveler. Clipped. 100 mm.
Available for compact HPL lockers, Water resistant MDF with compact HPL lockers and melamine lockers.

**STAINLESS STEEL LEG**

Stainless steel with nylon leveler.
Available for compact HPL lockers, Water resistant MDF with compact HPL lockers and melamine locker.

**ROD**

Aluminum.
Available for compact HPL lockers, compact HPL and aluminum profile locker, Water resistant MDF with compact HPL lockers and melamine lockers.

**PROFILE**

Aluminum support profile.
Available for HPL lockers with aluminum profile.

001

PLATE NUMBERING

Plate numbering.
Available for compact HPL lockers, compact HPL and aluminum profile locker, Water resistant MDF with compact HPL lockers and melamine lockers.

HARDWARE

**ENGRAVED NUMBERING**

Engraved numbering.
Available for compact HPL lockers, compact HPL and aluminum profile locker and Water resistant MDF with compact HPL lockers.

**NUMBERING VINYL**

Vinyl numbering.
Available for HPL lockers, HPL lockers with aluminum profiles, melamine lockers, and water-resistant MDF lockers with phenolic doors.

**HANGER**

Aluminum.
Available for compact HPL lockers, compact HPL and aluminum profile locker, Water resistant MDF with compact HPL lockers and melamine lockers.

**SLANTED ROOF**

Indicated for the food and hospital industry.
10 mm compact HPL.
Available for compact HPL lockers and compact HPL and aluminum profile locker.

**CLEAN/DIRTY PARTITION**

Indicated for the food and hospital industry.
10 mm compact HPL.
Available for compact HPL lockers and compact HPL and aluminum profile locker.

**FINISHING SIDE**

12,5 mm compact HPL.
Available for compact HPL lockers and compact HPL and aluminum profile locker.

HARDWARE

**BASEBOARD**

Compact HPL lockers, compact HPL and aluminum profile locker and Water resistant MDF with compact HPL lockers
100 mm baseboard in 12,5 mm compact HPL.

Melamine lockers
100 mm baseboard in 19 mm melamine.

**TUBE**

30x30 stainless steel square tube.
Structure of benches and benches for lockers.

**LEVELERS**

Nylon levelers.
Structure of benches and benches for lockers.

**ALUMINUM PROFILE**

Aluminum profile for lateral support.
Hardware for cabins.

**SUPERIOR ALUMINUM PROFILE**

Upper support aluminum profile.
Hardware for cubicles.

**HANDLE**

Double handle in stainless steel.
Hardware for cubicles.

HARDWARE

**HINGE**

Left or right hinge in stainless steel.
Hardware for cubicles.

**LOCK FREE/OCCUPIED**

Lock with free/occupied indicator in stainless steel.
Hardware for cubicles.

**LEG**

Stainless steel leg.
Adjustable height from 120 to 150 mm.
Hardware for cubicles.

**STAINLESS STEEL TUBE**

Stainless steel top tube.
Hardware for cubicles.

**TOP SUPPORT**

Stainless steel top support.
Hardware for cubicles.

**TUBE SUPPORT**

Stainless steel support for tube for wall mounting.
Hardware for cubicles.


HARDWARE

**TUBE JOINT**

Tube joint at 90° and 180° in stainless steel.
Hardware for cubicles.

**SLIDING DOOR**

Sliding door system that includes track, pulleys, supports and lower guide.
Hardware for cubicles

**SLIDING DOOR LOCKER**

System for sliding doors that includes a track, rollers, supports, and bottom guide.
Hardware for cabins.

**WALL SUPPORT**

Stainless steel support for partitions.
Hardware for cubicles.




**Deliveries
and assembly
throughout
the country.**




COLORS*


- Compact HPL lockers, compact HPL and aluminum profile lockers and Water resistant MDF with compact HPL lockers.
- Toilet and shower cubicles, partitions, urinal separators, worktops, hangers and benches.




B015




0149




P001




G059




N005




C017




M149



V113




B048




B086




P092



G031



V014



R036



C102



C204




C149




T105

COLORS*


- Lockers and melamine furniture.




B110



L166



L167




L3031



M2106



M4451



42B



M2112



M760



M850



M6225



M1076



CONTACT US

Monday to friday | 8:00 a.m.-5:00 p.m.



YOU NO LONGER
NEED TO WORRY
ABOUT FINDING
**PROFESSIONAL
SOLUTIONS**

COMO - Componentes de Mobiliário, Lda.

📍 Edifício Masa - Pavilhão 4, Apartado 3095
Barrosinhas | Trofa 2750-772 Águeda
GPS. 40°35'55.2"N 8°27'43.5"W

☎ 234 648 048 / 234 648 049

📠 234 648 050

✉ geral@como.pt

🌐 www.como-lda.pt

📷 /comolda

📘 /ComoPortugal

🏢 /como-componentes-de-mobiliário-lda

